

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of

Yoshitaka SASAKI and Hiroyuki ITOH

Application No.: Rule 53(b) Divisional Application
of U.S. Serial No. 09/391,232

Filed: May 29, 2001

Docket No.: 104241.01

For: THIN-FILM MAGNETIC HEAD MATERIAL AND METHOD OF
MANUFACTURING SAME AND METHOD OF MANUFACTURING THIN-FILM
MAGNETIC HEAD

PRELIMINARY AMENDMENT

Director of the U.S. Patent and Trademark Office
Washington, D. C. 20231

Sir:

Prior to initial examination, please amend the above-identified application as follows:

IN THE SPECIFICATION:

Page 2, lines 12-19, delete current paragraph and insert therefor:

In the step of processing the medium facing surface, it is required that the MR height and the throat height of the thin-film magnetic head element formed in the bar each fall within a tolerance range and that processing accuracy of the surface processed falls within a tolerance range. The MR height is the length (height) between the end of the MR element close to the medium facing surface and the opposite end. The throat height is the length (height) of the magnetic pole of an induction magnetic transducer.

IN THE CLAIMS:


Please cancel claims 1-2 and 5-6 without prejudice to or disclaimer of the subject matter contained therein.

REMARKS

Claims 3 and 4 are pending. This Preliminary Amendment corrects minor typographical errors in the parent application. Prompt and favorable examination on the merits is respectfully requested.

The attached Appendix includes marked-up copies of each rewritten paragraph (37 C.F.R. 1.121(b)(1)(iii)) and claim (37 C.F.R. 1.121(c)(1)(ii)).

Respectfully submitted,


James A. Oliff
Registration No. 27,075

Joseph K. Hemby, Jr.
Registration No. 42,652

JAO/JKH:amw

Date: May 29, 2001

OLIFF & BERRIDGE, PLC
P.O. Box 19928
Alexandria, Virginia 22320
Telephone: (703) 836-6400

| |
|--|
| DEPOSIT ACCOUNT USE AUTHORIZATION Please grant any extension necessary for entry; Charge any fee due to our Deposit Account No. 15-0461 |
|--|

APPENDIX

Changes to Specification:

Page 2, lines 12-19:

In the step of processing the medium facing surface, it is required that the MR height and the throat height of the thin-film magnetic head element formed in the bar each fall within a tolerance range and that processing accuracy of the surface processed falls within a tolerance range. The MR height is the length (height) between the end of the MR element close to the medium facing surface and the opposite end. The throat height is the length (height) of the magnetic pole of an induction magnetic transducer, ~~from the medium facing surface in the induction magnetic transducer.~~

Changes to Claims:

Claims 1-2 and 5-6 are canceled.